L Number	Hits	Search Text	DB	Time stamp
1	2	("5664109").PN.	USPAT;	2004/01/20 18:23
			US-PGPUB;	
]			EPO; JPO;	
			DERWENT;	
· _			IBM_TDB	
2	114	"internet printer"	USPAT;	2004/01/20 18:24
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
3	30	"internet printer" and scan\$ and cop\$4	USPAT;	2004/01/20 18:24
ľ	. 30	incomec printer and beant and copy i	US-PGPUB;	2004/01/20 10.24
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	19	("internet printer" and scan\$ and cop\$4)	USPAT;	2004/01/20 18:24
		and document\$	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	0	((("internet printer" and scan\$ and cop\$4)	USPAT;	2004/01/20 18:25
		and document\$) and similar) and	US-PGPUB;	
		(linguistic or semantic)	EPO; JPO;	
			DERWENT; IBM TDB	
5	1./	(("internet printer" and scan\$ and cop\$4)	USPAT;	2004/01/20 18:40
	1.4	and document\$) and similar	US-PGPUB;	2007/01/20 10.40
		and documency, and bimile	EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	0	(("internet printer" and scan\$ and cop\$4)	USPAT;	2004/01/20 18:30
		and document\$) and similar and thumbnail	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
8	12	' '	USPAT;	2004/01/20 18:41
		and document\$) and similar) and (record\$3	US-PGPUB;	
		or list or stor\$4)	EPO; JPO; DERWENT;	
			IBM TDB	
9	7	((("internet printer" and scan\$ and cop\$4)	USPAT;	2004/01/20 18:41
	,	and document\$) and similar) and (record\$3	US-PGPUB;	2001,01,20 10.11
		or list or stor\$4) and digital	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2936	(707/1).ccls.	USPAT;	2004/01/17 15:39
	The state of the s		US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	12070	document with similars	IBM_TDB	2004/01/17 15 22
-	13079	document with similar\$	USPAT;	2004/01/17 15:39
		,	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	432	hardcopy and (recommend\$ or knowledge) and	USPAT;	2004/01/17 15:47
		profile	US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	41	(document with similar\$) and (hardcopy and	USPAT;	2004/01/17 15:40
		(recommend\$ or knowledge) and profile)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(//	IBM_TDB	0004/02/20 22 :=
_	21	((document with similar\$) and (hardcopy	USPAT;	2004/01/19 10:45
		and (recommend\$ or knowledge) and	US-PGPUB;	
		profile)) and (rat\$3 with document)	EPO; JPO; DERWENT;	
			IBM TDB	
	l		TOU TOO	L


			_	
-	121	(knowledge with shar\$3) and (rat\$3 with document)	USPAT; US-PGPUB;	2004/01/17 15:47
		document,	EPO; JPO; DERWENT; IBM TDB	
	7	((knowledge with shar\$3) and (rat\$3 with document)) and (hardcopy and (recommend\$ or knowledge) and profile)	USPAT; US-PGPUB; EPO; JPO;	2004/01/17 15:48
_	8	((knowledge with shar\$3) and (rat\$3 with document)) and hardcopy	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/17 15:48
-	65	((knowledge with shar\$3) and (rat\$3 with document)) and print\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/19 10:51
-	50	(((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and paper	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/17 15:48
_	41	((((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and paper) and (document with similar\$)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/17 15:49
-	41	<pre>(((((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and paper) and (document with similar\$)) and (document with rat\$3)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/17 15:49
-	39	<pre>((((((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and paper) and (document with similar\$)) and (document with rat\$3)) and profile</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/17 15:50
_	6	_	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/17 15:50
_	6	<pre>key\$5 and ocr (((((((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and paper) and (document with similar\$)) and (document with rat\$3)) and profile) and</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/17 15:51
-	6	ocr (((((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and paper) and (document with similar\$)) and ocr	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/17 15:51
_	7	(((knowledge with shar\$3) and (rat\$3 with document)) and print\$3) and ocr	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/19 10:40
_	0	305836.apn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/19 10:41
_	2	("6646035").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/19 10:41
			DERWENT; IBM_TDB	


-	2	("6446035").PN.	USPAT; US-PGPUB;	2004/01/19 10:41
			EPO; JPO; DERWENT; IBM TDB	
-	8	((document with similar\$) and (hardcopy and (recommend\$ or knowledge) and	USPAT; US-PGPUB;	2004/01/19 10:50
		profile)) and (rat\$3 with document) and linguistic	EPO; JPO; DERWENT;	
_	10	((document with similar\$) and (hardcopy	IBM_TDB USPAT;	2004/01/19 10:50
		<pre>and (recommend\$ or knowledge) and profile)) and (rat\$3 with document) and (linguistic\$ or semantic)</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
_	11	((knowledge with shar\$3) and (rat\$3 with document)) and print\$3 and linguistic\$	USPAT; US-PGPUB;	2004/01/19 10:51
			EPO; JPO; DERWENT; IBM TDB	
_	7	((knowledge with shar\$3) and (rat\$3 with document)) and print\$3 and linguistic\$ and	USPAT; US-PGPUB;	2004/01/19 10:52
		printer and hardcopy	EPO; JPO; DERWENT;	
_	8	((knowledge with shar\$3) and (rat\$3 with document)) and print\$3 and linguistic\$ and	IBM_TDB USPAT; US-PGPUB;	2004/01/19 10:52
		printer	EPO; JPO; DERWENT;	
	1		IBM_TDB USPAT	2004/01/10 10.55
_	1 1		USPAT	2004/01/19 10:55 2004/01/19 10:56
1 -	1		USPAT	2004/01/19 10:56
_	1		USPAT	2004/01/19 10:56
_	1		USPAT	2004/01/19 10:56
_	15211	shar\$3 with print\$3	USPAT; US-PGPUB;	2004/01/19 11:07
_	8583	shar\$3 with cop\$3	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/01/19 11:07
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	855	(shar\$3 with print\$3) and (shar\$3 with cop\$3)	USPAT; US-PGPUB; EPO; JPO;	2004/01/19 11:07
			DERWENT; IBM_TDB	
-	100	((shar\$3 with print\$3) and (shar\$3 with cop\$3)) and profile	USPAT; US-PGPUB; EPO; JPO;	2004/01/19 11:07
_	38	(((shar\$3 with print\$3) and (shar\$3 with	DERWENT; IBM_TDB USPAT;	2004/01/19 11:08
		<pre>cop\$3)) and profile) and (document\$ with similar\$)</pre>	US-PGPUB; EPO; JPO; DERWENT;	
-	1	((((((shar\$3 with print\$3) and (shar\$3 with cop\$3)) and profile) and (document\$ with similar\$)) and knowledge) and hardcopy	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/19 11:09
		-	DERWENT; IBM_TDB	
-	37	<pre>((((shar\$3 with print\$3) and (shar\$3 with cop\$3)) and profile) and (document\$ with similar\$)) and knowledge</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/01/19 11:09
			DERWENT; IBM_TDB	

-	37	implicit and ((((shar\$3 with print\$3) and	USPAT;	2004/01/19 11:09
		(shar\$3 with cop\$3)) and profile) and	US-PGPUB;	
		(document\$ with similar\$))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	1	((((shar\$3 with print\$3) and (shar\$3 with	USPAT;	2004/01/19 11:10
		cop\$3)) and profile) and (document\$ with	US-PGPUB;	
		similar\$)) and hardcopy	EPO; JPO;	
			DERWENT;	
i	37	(implicit and ((((shar\$3 with print\$3) and	IBM_TDB USPAT;	2004/01/19 11:10
_	37	(shar\$3 with cop\$3)) and profile) and	US-PGPUB;	2004/01/19 11.10
		(document\$ with similar\$))) and (document	EPO; JPO;	
		with rat\$3)	DERWENT;	
			IBM TDB	11
_	37	((implicit and ((((shar\$3 with print\$3)	USPAT;	2004/01/19 11:14
		and (shar\$3 with cop\$3)) and profile) and	US-PGPUB;	
		(document\$ with similar\$))) and (document	EPO; JPO;	
		with rat\$3)) and record\$	DERWENT;	
			IBM_TDB	
-	526289	(print\$).ti.	USPAT;	2004/01/19 11:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	20	(nrinté and knowlades) té	<pre>IBM_TDB USPAT;</pre>	2004/01/19 11:15
-	20	(print\$ and knowledge).ti.		2004/01/19 11:15
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	178	(print\$ and knowledge).clm.	USPAT;	2004/01/19 11:15
	1.0	(primer and monroage, roim)	US-PGPUB;	2001, 01, 13 12.10
		'	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(print\$ and hardcopy and profile and	USPAT;	2004/01/19 11:16
		knowledge).clm.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/01/10 11 16
_	312	1 *	USPAT; US-PGPUB;	2004/01/19 11:16
		knowledge	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	8	((print\$ and hardcopy and profile and	USPAT;	2004/01/19 11:17
		knowledge) and (document with rat\$3)) and	US-PGPUB;	
		implicit	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	34		USPAT;	2004/01/19 11:22
	}	knowledge) and (document with rat\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004 (01 (10 11 11
-	26	(print\$ and hardcopy and profile and	USPAT;	2004/01/19 11:22
		knowledge) and (document with rat\$3) and	US-PGPUB;	
		language	EPO; JPO; DERWENT;	
			IBM TDB	
_	26	(print\$ and hardcopy and profile and	USPAT;	2004/01/19 11:22
	23	knowledge) and (document with rat\$3) and	US-PGPUB;	
		language and similar\$	EPO; JPO;	
			DERWENT;	
	[IBM_TDB	
-	14	(print\$ and hardcopy and profile and	USPĀT;	2004/01/19 11:51
		knowledge) and (document with rat\$3) and	US-PGPUB;	
		language and (document with similar\$)	EPO; JPO;	
	1		DERWENT;	
1	1		IBM TDB	

	1143	document\$ adj similar\$	USPAT;	2004/01/19 11:51
_	1143	documency adj similary	US-PGPUB;	2004/01/15 11.51
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	6	(print\$ and hardcopy and profile and	USPAT;	2004/01/19 11:51
-	0	knowledge) and (document with rat\$3) and	US-PGPUB;	2004/01/19 11:51
		language and (document with similar\$) and	EPO; JPO;	
		(document\$ adj similar\$)		
		(documents adj similars)	DERWENT;	
	70	-unfile and (decompose with match) and	IBM_TDB USPAT;	2004/01/19 14:54
-	/0	profile and (document with rat\$3) and		2004/01/19 14:54
		knowledge and (document with similar\$) and	US-PGPUB;	
		(document\$ adj similar\$)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/01/10 11 50
-	28	(profile and (document with rat\$3) and	USPAT;	2004/01/19 11:52
		knowledge and (document with similar\$) and	US-PGPUB;	
		(document\$ adj similar\$)) and printer and	EPO; JPO;	
		copies	DERWENT;	
			IBM_TDB	0004/04/40 44
. -	25		USPAT;	2004/01/19 11:52
		knowledge and (document with similar\$) and	US-PGPUB;	
		(document\$ adj similar\$)) and printer and	EPO; JPO;	
		copies) and record\$	DERWENT;	
			IBM_TDB	
-	25	, , , <u>F</u> =	USPAT;	2004/01/19 11:53
		knowledge and (document with similar\$) and	US-PGPUB;	
		(document\$ adj similar\$)) and printer and	EPO; JPO;	
		copies) and record\$) and (user or client)	DERWENT;	
		and search\$	IBM_TDB	
_	28		USPĀT;	2004/01/19 14:56
		calculat\$ or weight or rat\$3)) and	US-PGPUB;	
		knowledge and (document with similar\$) and	EPO; JPO;	
		(document\$ adj similar\$) and copy and	DERWENT;	
		printer	IBM_TDB	
-	8	1 11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	USPAT;	2004/01/19 14:56
		calculat\$ or weight or rat\$3)) and	US-PGPUB;	
		knowledge and (document with similar\$) and	EPO; JPO;	
		(document\$ adj similar\$) and copy and	DERWENT;	
		printer) and thumbnail	IBM_TDB	
-	7		USPAT;	2004/01/19 16:34
		calculat\$ or weight or rat\$3)) and	US-PGPUB;	
1		knowledge and (document with similar\$) and	EPO; JPO;	
		(document\$ adj similar\$) and copy and	DERWENT;	
		printer) and hardcopy	IBM_TDB	
-	1	-	USPAT;	2004/01/19 16:34
		_	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	







Search Results

Nothing Found

Your search for [linguistic and document and storage and MFD and similar and rating<AND>((linguistic and knowledge and similary and document))] did not return any results.

You may revise it and try your search again below or click advanced search for more options.

linguistic and document and storage and MFD and similar and rating<AND>((linguistic and knowledge and similary and document

[Advanced Search] [Search Help/Tips]



Complete Search Help and Tips

The following characters have specialized meaning:

Special Characters	Description
,()[These characters end a text token.
= > < !	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
`@\Q< {[!	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.



Advanced Search Preferences Language Tools Search Tips linguistic document storage frequend Coorde Search

"management" (and any subsequent words) was ignored because we limit queries to 10 words.

Web · Images · Groups · Directory · News

Searched the web for linguistic document storage frequency thumbnail profile similarity weight sum keywo

Electronic File Cabinet

Sponsored Link

www.papermaster.net PaperMaster makes the dream of a paperless office a reality.

EP1217554

... 0049] The documents stored in the ... could be used to rank the value of a certain document. ... On

the basis of the linguistic representation of a document and on the ... swpat.ffii.org/pikta/txt/ep/1217/554/ - 53k - Cached - Similar pages

[PDF] Engineering Content for a New Competitive Era

File Format: PDF/Adobe Acrobat

... Thesauri 45 6.3.3 Preparing multimedia documents 46 ... Retrieval 49 6.5.2 Inexact Match:

Similarity Weighting 50 ... Content deployment 87 11.4 Data storage and data ...

https://doc.telin.nl/dscgi/ds.py/ Get/File-12331/periodical.pdf - Similar pages

[PS] Linux Dictionary Version 0.12 Author: Binh Nguyen

File Format: Adobe PostScript - View as Text

... AUTHORSList of people who contributed to or wrote a package or document. ... single large

file containing multiple files, usually compressed to save storage space. ... gnu.kookel.org/ftp/LDP/LDP/Linux-Dictionary/ Linux-Dictionary.ps.gz - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed. If you like, you can repeat the search with the omitted results included.

Sponsored Links

Records Storage S Florida Pay Only For The Space You Use Low Cost Storage, Pick Up, Delivery www.recordkeepers.net Interest: ==

Paperless office \$499.95 Scan, Auto Index, Search, Security ADD PC Docs, OCR, Much More www.epaperfile.com Interest: •

<u>Document Management</u>

15 tools to improve productivity manage: emails, scanned docs etc www.documentlocator.com/home Interest:

Document Management SW

Shared Access Filing Environment eliminates paper - increases ROI www.CabinetNG.com/Safe Interest: =

Do you hate filing? Find anything in your office in 5 seconds or less - Free Trial! www.thepapertiger.com

Interest: *

Fort Dox


Secure - Reliable - Inexpensive Documents Online Anywhere Anytime www.fortdox.com Interest: *

Timesheet Software On-line Timesheet & Expenses Management Software www.boanet.co.uk Interest:

Document Storage Compare prices on



> home : > about : > feedback : > login **US Patent & Trademark Office**




Search Results

Search Results for: [linguistic and knowledge and similary and document] Found 1 of 126,269 searched.

Search within Results	
> Search Help/Tips	> Advanced Search
Sort by: Title Publication Publication Da	ite Score Binder
Results 1 - 1 of 1 short listing	
Plan recognition for context sensitive Klaus-Jürgen Quast Proceedings of the 1st international confe February 1993	·
Results 1 - 1 of 1 short listing	

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



Web - Images - Groups - Directory - News

Searched the web for linguistic printer similarity search "user profile" document sum keyword knowledge. Try Google Answers to get help from expert researchers.

[PDF] Conceptual Indexing: A Better Way to Organize Knowledge File Format: PDF/Adobe Acrobat - View as HTML

... use a text retrieval system based on keyword or full ... taxonomy can also help text search algorithms deal ... indexes support tra- ditional document retrieval, they ... research.sun.com/research/techrep/ 1997/smli tr-97-61.pdf - Similar pages

[PS] Conceptual Indexing: A Better Way to Organize Knowledge File Format: Adobe PostScript - View as Text

... a text retrieval system based on keyword or full ... can also help text search algorithms

deal ... can conceptual indexes support traditional document retrieval, they ... research.sun.com/research/techrep/ 1997/smli tr-97-61.ps - Similar pages

Sponsored Links

Find your keywords Discover the right keywords and your traffic will skyrocket. aff. www.wordtracker.com Interest: =

> See your message here...

[PS] EAGLES Evaluation of Natural Language Processing Systems

File Format: Adobe PostScript - View as Text

... 197 J.2.3 Search units This latter situation does not apply to all linguistic software ... A user profile is a function from the domain of featurisations to V (ie ... www.ilc.cnr.it/EAGLES96/pub/eagles/evaluation/ewg95.ps - Similar pages

[PS] Bibliography on Software Agents

File Format: Adobe PostScript - View as Text

... of the First International Conference on Practical Aspects of Knowledge-Management (PAKM ... The user profile is a vector of weighted terms which are learned from ... www.cs.helsinki.fi/u/hhelin/agents/agent-bib.ps - Similar pages

> Google Search linguistic printer similarity search "u Search within results

> > Dissatisfied with your search results? Help us improve.

PageRank Get the Google Toolbar: Google • 6 blocked Search Web '를 Auto

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2004 Google